


Technical Data Sheet - HIDE PROFESSIONAL


Product Photo



1. Product Identification

Model	Hide Professional
Installation	Built-In
Product line	/

2. Dimensions and structure



Length	60 - 90 (cm)
Height	33,7 (cm)
Depth	28,0 (cm)
Finish	Inox

3. Suction performance

Air flow (Min/Max/Booster)	226 - 494 - 754 (m ³ /h)
Speed	3+B
Controls	Backlit soft touch controls
Static Pressure	590 (Pa)
Version	Duct Out

4. Lighting

Type	Strip LED
Number	1
Power	4W x 60cm / 6W x 90cm
Dimmable	Yes from 0 to 152 Lux
Temperature	Adjustable from 2700 to 6000K

5. Noise

Min/Max/Booster	47 - 64 - 71 dB(A)
-----------------	--------------------

6. Electrical data

Voltage	220-240V/50Hz - 220V/60Hz
Maximum power consumption	279W x 60cm - 281W x 90cm

7. Filtration and odors

Grease filters	Steel baffle filters
Odor filters	Carbon filters

8. Installation

Minimum height from gas hob	60 (cm)
Motor outlet diameter	150 (mm)

9. Certifications

Energy Class	A
--------------	---

10. Weight and Transport

Net Weight	10,9Kg x 60cm - 13,2Kg x 90cm
Gross Weight	12,9Kg x 60cm - 15,2Kg x 90cm
Packaging Dimensions WxDxH	65,9x39,9x42,5cm x 60cm - 95,9x39,9x42,5cm x 90cm
Pieces per pallet / pallet size	20pcs / 100x120cm - 15pcs / 100x120cm

11. Accessories

Kit with 2 carbon odor filters Ø170	Cod. 0051H01000
Non-return valve Ø150	Cod. 0051H02000
Remote Control	Cod. 00BTE05BF500

12. Product Plus

Grease filter maintenance warning
Odor filter replacement warning
Adjustable delayed auto shut-off
Rear air outlet option
Rear liquid collection container
Motor replaceable without uninstalling the hood

Date: 17/06/2025

Revision: 12/09/2025

